

Certificate Of Analysis

Client:
Pro Elite Research

Laboratory:

Liquilabs s.r.o.
Ohradní 24B
14000 Michle
Czechia
www.liquilabs.cz

Accredited Testing Laboratory
ISO/IEC 17025:2017
ČIA Reg. No. 1437

Sample Identification

Sample Name	BPC-157 10mg + TB-500 10mg	Batch Number	LL26A0118	Date Published	2026-01-02 10:43
-------------	----------------------------	--------------	-----------	----------------	------------------

Results for BPC-157 10 mg + TB-500 10 mg

Analysis of Peptide Identity, Content and Purity	Result Unit	Reporting Uncertainty Limit
BPC-157 Assay	7.34 mg	[± 0.10]
BPC-157 Identification by RT	0.998	[± 0.004]
BPC-157 Identification by spectrum	997	[± 10]
BPC-157 Purity	99.111 %	[± 0.18]
TB-500 Assay	6.11 mg	[± 0.10]
TB-500 Identification by RT	0.999	[± 0.005]
TB-500 Identification by spectrum	996	[± 12]
TB-500 Purity	99.334 %	[± 0.20]

Responsibles



Mr. Ján Galbavý
Founder/Manager

Analysis results relate only to the samples tested.

This document shall not be reproduced except in full, without the written approval of Liquilabs s.r.o.